



Power and fun, through to the final hole

No one becomes a pro overnight. To excel at golf, you first have to dedicate yourself to mastering its finer points. The same applies to building world-class golf cars. It requires patience, perseverance and talent and it demands dedication and commitment to service support.

Yamaha golf cars are designed and engineered to go over the course. They benefit from state-of-the-art technology that can be found across the entire Yamaha line-up: from our renowned ATVs to our unrivalled motorcycles.

Nothing matches the levels of reliability and endurance you'll find in our golf cars. Or our dedicated service. But why take our word for it? Personal experience is the best teacher.

- ▶ EnduraDrive transaxle with internal disc brake
- ▶ Yamaha-built 357cc gasoline engine
- ▶ Tru-Trak II front suspension
- ▶ ClimaGuard top with dual gutters
- ▶ The HybriCore chassis is light and strong
- ▶ Automotive-style dash
- ▶ Maintenance free rack-and-pinion steering
- ▶ Filterless oil system
- ▶ Sentry Wraparound Protection System
- ▶ Largest contoured seat in the industry
- ▶ Premium tread tyres
- ▶ Large bag well and sweater basket



Fun to drive, easy to own

Every detail of the G29A is designed to get you around the course. Its ramp-style clutch combines low maintenance with the best hill-climbing in the industry. Precision steering and suspension ensure sure-footed operation. Even the contoured seat is the largest in the industry.

Its bumpers are rated for 8 km/h impacts. They're the same height front and rear, to minimize damage. Its body panels are puncture resistant, cold-weather resistant and closely colour-matched to the extra-durable automotive-grade polyurethane paint that goes on them.

The G29A isn't just a golf car that you'll love to ride. You'll get hooked on its looks too.






Long-lasting, low-maintenance brakes

The EnduraDrive Transaxle with Internal Disc Brake Technology uses a completely enclosed disc brake system. This eliminates brake drums and shoes, needs only one brake cable, and is projected - based on extensive tests - to have an incredibly long life with ultra-low maintenance.

Yamaha-built 357cc gasoline engine

Yamaha is the only golf car manufacturer that builds its own engines. This 357cc engine is quiet, refined and virtually vibration-free, with low emissions.



Supreme comfort

The industry's largest, most comfortable seat features deep, supportive contours, which help to hold occupants in place when moving. Designed to accommodate users of all heights and sizes, it's strengthened against sagging by plated steel inserts.

ClimaGuard®; Top with dual gutters

The sturdy ClimaGuard top offers all-round protection against sun and rain. Its 360 degree double rain channel has an integrated water drain system with an exclusive clog-proof design. It's built for rattle-free stability and has integrated grab handles as well as universal mounting points for information holders and GPS systems.



HybriCore®; chassis

Yamaha's HybriCore Chassis combines an automotive, ladder-style 100% robotically welded frame with a polypropylene structural floor. Integrated into the floor, the battery box surrounds the batteries, eliminating a corrosion point. A self-contained pedal box gives the pedals top and bottom protection from dirt, debris and stray golf tees.

Automotive-style dash

A stylish, car-inspired dash design includes four cup holders, a central storage area for personal items, six ball holders, six tee holders, and a big, easy-to-clean storage compartment on each side.



<i>Dimensioner</i>	<i>G29-A</i>
Samlet længde	2.395 mm
Samlet bredde	1.200 mm
Overall height (sun top)	1.789 mm
Hjulafstand	1.640 mm
Overall height (no sun top)	1.190 mm
Front wheel tread	870 mm
Rear wheel tread	980 mm
Min. frihøjde	110 mm

<i>Power supply/Drive train</i>	<i>G29-A</i>
Motortype	Yamaha-fremstillet, lavemissions 1-cylindret 60° vippet OHV
Slagvolumen	357cc
Boring x slaglængde	85 mm x 63 mm
Horsepower	8,5 kW @ 3.500 rpm
Kompressionsforhold	8,1 : 1
Smøresystem	Splash-style positive oil lubrication
Olietankkapacitet	1 liter
Air cleaner	Two-stage, urethane-foam pre-cleaner and high-capacity pleated paper cartridge
Kølesystem	Forced air
Carburetor	Mikuni BV26-18
Tændingssystem	Transistor magneto ignition
Transaxle	EnduraDrive V-belt automatic forward/reverse transaxle equipped with high-precision helical gears, 11.48 : 1 drive axle ratio

<i>Stel</i>	<i>G29-A</i>
Stel	HybriCore™ Chassis features a robotically welded automotive ladder-style frame mated to a polypropylene structural floor. Frame components are protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-base coating, and an electrostatically applied polyester/urethane powder topcoat
Body	Custom-formulated thermoplastic olefin, painted with a two-part top coat of high-luster automotive-grade polyurethane
Styretøj	Self-compensating double reduction helical rack-and-pinion, permanently lubricated with sealed, greaseless tie-rod ends
Front suspension	Tru-Trak IITM fully independent automotive-style strut suspension
Rear suspension	Unit swing arm with coil springs over hydraulic shock absorbers
Brakes	Maintenance-free internal transaxle disc brake
Seating	Seamless, fabric-backed vinyl bonded to pure, virgin foam contoured seat cushions and mated to a deform- and moisture-resistant polypropylene bottom, strengthened with plated steel inserts
Bumpers	Front & rear 8 km/h energy-absorbing bumpers

<i>Performance</i>	<i>G29-A</i>
Maximum forward speed	24 km/t
Maximum reverse speed	11 km/t
Turning radius	2,8 metre

<i>Generelt</i>	<i>G29-A</i>
Tørvægt (kg)	255 kg
Tankkapacitet	25 litres



G29A 4-stroke
www.yamaha-motor.dk

Tyre size	18.00 x 8.50-8.00 (4-ply rating)
Seating capacity	2 persons

The technical specifications provided are purely indicative and may be modified without prior notice from the manufacturer and/or importer. In order to ensure the increased lifespan of your vehicle, as well as for driver's safety, the manufacturer's recommendations should be followed in all cases. You are advised to prepare adequately for use of the vehicle. Usage on public roads is forbidden and usage is not recommended below 16 years of age. Please contact your local dealer for more information.

Farver



Sandstone Metallic



GLACIER



Emerald



Garnet



Tanzanite



Anthracite Metallic



Onyx Metallic



The Yamaha Chain of Quality

Yamaha technicians are fully trained and equipped to offer the best service and advice for your Yamaha product. For this reason, Yamaha strongly recommends visiting an official Yamaha dealer for all your service requirements.

Yamaha Genuine Parts & Accessories are especially developed, designed and tested for our Yamaha product range. Yamaha also recommends the use of Yamalube®. Yamalube® is our own range of high-tech lubricants, the lifeblood of Yamaha engines. They are developed to carry on working effectively, no matter where you ride.

Besides functional and style accessories, Yamaha offers an extensive range of casual wear. For more information go to:

www.yamaha-motor-acc.com



Oplev mere af
Yamaha G29A med din mobiltelefon

Yamaha Motor Scandinavia
C.F. Tietgens Boulevard 30, 1.th
5220 Odense SØ
Danmark