

## Customised Accessories

Club Cover

Hour Meter

Sun top mounted Information Card Holder

Sand Bottle

Personal Ice Chest

Sand Bucket

Golf Club and Ball Washer

Sandstone Metallic Wheel Covers

Silver Metallic Wheel Covers

Chrome Wheel Covers

12v Socket

One-Piece Clear Windshield

One-Piece Tinted Windshield

Fold-Down Clear Windshield

Fold-Down Tinted Windshield

Spike Cleaners

Fleet Numbers

Off-Board Tow System

Electric Only

Battery Energy Gauge

Your Choice Of Battery Configurations  
Whatever your needs, we've got you covered. For most fleet applications we recommend six 8-volt Trojan T-875 batteries that are dependable and less expensive to maintain. Extended range courses can select eight 6-volt Trojan T-105 batteries which provide approximately 30% more range and an extended life due to a lower depth of discharge.

## Choose Your Colour:



### Disclaimer

All information in this catalogue is given for general guidance only and is subject to change without prior notice. Photographs that show Golf Cars being driven by professionals are not recommendations or guidance in respect of safe operation and no style of use is intended or implied by the publication of these images.

Yamaha encourage you to ride safely and respect fellow drivers and the environment. Always respect the local regulations. Specifications and appearance of Yamaha products as shown here are subject to change without notice and may vary according to requirements and conditions. For full details, please consult your Yamaha dealer.

## The World of Yamaha.

When we set out to build the world's finest golf car we drew on the expertise and experience of all our many engineers. Their enviable reputation has been earned designing some of the world's finest motorised products across two wheel, marine and off road applications. In every one of these areas the name Yamaha instantly conjures up an image of quality, reliability and excitement.

Attributes that are just as important whether you are building a golf car or a world title winning Grand Prix motorcycle. And that's why our golf cars can endure extreme use; because they're full of the things we learned making ATVs, Watercraft, outboard engines, snowmobiles, motorcycles and scooters.

And even though we don't expect our golf cars to win world championships you can be sure they are built to the same high standard. Simply put, at Yamaha we make the most innovative and durable golf cars in the world. But don't take our word for it. See for yourself.

**Yamaha  
Partners**



Yamaha Motor Europe N.V., branch UK  
A2 & A3 Kingsway Business Park  
Forsyth Road  
Sheerwater  
Woking  
Surrey  
GU21 5SA

Telephone: 01932 358095

Mobile: 07768 436529

[www.yamaha-motor.eu/uk](http://www.yamaha-motor.eu/uk)

[www.golfcars.co.uk](http://www.golfcars.co.uk)

Yamaha highly recommend to you the use of genuine Yamaha parts and accessories.

Contact your local dealer or visit our website:

[www.yamaha-motor.co.uk/accessories/](http://www.yamaha-motor.co.uk/accessories/)







**YAMAHA**

**HOSPITALITY  
VEHICLES**



**AC  
POWER**  
**Fuel  
INJECTION**



## G29 PTV AC & EFI

Not all cars are created equal. In fact, when it comes to luxury rides, most are far from impressive, until now. With a sleek, thoughtfully designed carriage (and plenty of ways to tailor it to your liking) our PTV puts the "grand" in tours. Whether roaming your property or escaping to the clubhouse for a relaxing dinner, one ride in this beauty and your guests will know they've arrived.



Ergonomic Dash



Head and Tail Lights



Seat Storage  
Concierge Only



Rear Seat Handle  
Concierge Only



Industry's most  
comfortable seat



## Concierge 4 Seater & 6 Seater AC & EFI

When your guests arrive, you want to make a lasting first impression. Knowing that, we've outfitted both our four and six-seat Concierge models with a wealth of features to impress even the most discerning passengers. Thanks to extra-smooth handling and a quiet ride, plus the widest bench seats in the industry, it's first-class luxury that sets the stage for a memorable visit.



	PTV	Concierge 4	Concierge 6	
Dimensions	Overall Length	2,395 mm	3,250 mm	4,100 mm
	Overall Width	1,200 mm	1,200 mm	1,200 mm
	Overall Height	1,821 mm	1,910 mm	1,918 mm
	Wheelbase	1,640 mm	2,492 mm	2,492 mm
	Front Wheel Tread	870 mm	870 mm	870 mm
	Rear Wheel Tread	980 mm	980 mm	980 mm
	Minimum Ground Clearance	148 mm	148 mm	148 mm
	Floor Board Height	342 mm	342 mm	342 mm
AC	Motor	48-volt AC	Hitachi 48-volt high-efficiency, shunt wound motor with internal solid state tachometer	
	Output Rating	5.0 kW (6.7 hp) for 60 minutes		
	Motor Control Unit	NEOS 350 amp AC by TOYOTA Industrial Corporation		
	Batteries	Six 8-volt Trojan T-875 Optional: Six 8-volt Trojan Traveler	Six 8-volt Trojan T-875 Batteries Optional: Eight 6-volt T-105 Batteries	
	Charger	YAMAHA-built automatic microprocessor-based high frequency switching regulated charger.		
EFI	Engine Type	Yamaha-built, low-emission single cylinder 60° incline OHV		
	Displacement	357 cc		
	Bore X Stroke	85 x 63 mm		
	Horsepower	8.5 kW/3500 rpm (11.4 hp)		
	Compression Ratio	8:1		
	Lubrication System	Splash-style positive oil lubrication		
	Oil Capacity	1 liter, 1000 cc		
	Air Cleaner	Two-stage, urethane-foam pre-cleaner, and high-capacity pleated paper cartridge		
	Cooling System	Forced air		
	Fuel System	Electronic Fuel Injection		
	Ignition System	Transistor magneto ignition		
	Starting System	Starter / Generator		
	Maximum Torque	25.5 Nm / 2,500 rpm		
Chassis	Frame	HybriCore™ Chassis features a robotically welded automotive ladder-style frame mated to a polypropylene structural floor. Frame components are protected with a multi-step phosphate treatment, electro-deposition epoxy-based coating, and an electrostatically applied polyester/urethane powder topcoat		
	Body	Custom-formulated thermoplastic olefin painted with a two-part top coat of high-luster automotive-grade polyurethane		
	Body (Intermediate)	N/A	Fiber reinforced plastic with a two-part top coat of high-luster automotive-grade polyurethane	
	Steering	Self-compensating double reduction helical rack-and-pinion, permanently lubricated with sealed, greaseless tie-rod ends		
	Front Suspension	Tru-Trak II™ fully independent automotive-style strut suspension		
	Rear Suspension	Unit swing arm with coil springs		
	Brakes	Self adjusting rear wheel mechanical drum		
	Seating	Seamless, fabric-backed vinyl bonded to pure, virgin foam contoured seat cushions and matted to a warp and moisture-resistant polypropylene bottom strengthened with plated steel inserts		
General Performance	Bumpers	Front and rear 5 mph energy-absorbing bumpers		
	Max Forward Speed	31 km/h	31 km/h	
	Max Reverse Speed	16.1 km/h	9.7 km/h (AC) 16 km/h (EFI)	
	Minimum Turning Radius	3.2m	4.56m	6m
	Dry Weight	447 kg (AC) 324 kg (EFI)	519 kg (AC) 388 kg (EFI)	594 kg (AC) 458 kg (EFI)
	Tire Size	205/65-10 Dot (4-ply rating)		
	Seating Capacity	2 Persons	4 Persons	6 Persons
	Available Seat Color	Standard: stone optional: black (rear flip seat only)		
	Available Suntop Color	Stone, black, white	Stone, white, black	White
	Warranty	Standard 4-year limited vehicle warranty	Standard 2-year limited vehicle warranty	